09/646,811 Atty. Docket:BATG-5

Dated: 10/25/02

James E. Cole, Reg. No. 50,530
Medicton Reutlinger

2500 Brown & Williamson Tower

Louisville, Kentucky 40202

(502) 584-1135 phone, (502) 561-0442 fax

email:jcole@middreut.com

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE Washington, D.C., United States of America

In re Application

of:

TRINKIES et al.

Serial No.:

09/646,811

Filed:

01/05/2001

Group Art Unit:

1731

For:

A Do-It-Yourself Cigarette Maker:

and Component Assemblies

Examiner:

C. Lopez

Marked Version Showing Changes

Claim 10. (Twice Amended) A do-it-yourself cigarette maker including a tobacco rod shaping mechanism, comprising:

- a funnel-shaped tobacco material infeed section:
- a singling device for said tobacco material; and,
- a tobacco rod compression mechanism, said singling device being a roller, partly surrounded by a housing, with a plucking mechanism arranged at [the] a circumference of said roller, [in particular a plucking roller with plucking pins, by means of which] said tobacco material [is] being conveyed into said tobacco rod compression mechanism, wherein a wall section is pivot-mounted.

Claim 11. (Twice Amended) The do-it-yourself cigarette maker including tobacco rod shaping mechanism as set forth in claim 10, wherein said funnel-shaped infeed surface comprises at least

one wall section oriented radially to an axis of said roller.

Claim 12. (Twice Amended) The <u>do-it-yourself cigarette maker including</u> tobacco rod shaping mechanism as set forth in claim 10, wherein said tobacco rod compression mechanism comprises a tobacco chamber, which can be opened [up] and closed by at least one <u>traveling</u> side, [the] <u>said</u> traveling side part of said chamber [preferably] being shifted by means of a carn from an opened position into a closed position, in overcoming a spring preload, and [the] <u>an</u> opening width of said chamber is preferably settable by means of a positioner.

Claim 13.(Twice Amended) The <u>do-it-yourself cigarette maker including</u> tobacco rod shaping mechanism as set forth in claim 10, wherein said wall sections, surrounding said tobacco rod to be shaped, are provided with anti-sticking coating.

Claim 14. (Twice Amended) The <u>do-it-yourself cigarette maker including</u> tobacco rod shaping mechanism as set forth in claim 10, wherein said roller is insertably removable.

Claim 15. (Twice Amended) The <u>do-it-yourself cigarette maker including</u> tobacco rod shaping mechanism as set forth in claim 10, wherein said plucking roller is made of a material resistant to corrosion.